

PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
22156.NPSERIAL NO.
10/712,073

APPLICANT Beth E. Drees, et al

FILING DATE
11/13/2003GROUP
1641

LIST OF PRIOR ART CITED BY APPLICANT



U.S. PATENT DOCUMENTS

EXAMINER INITIALS		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
IGC/	A1	2002/0028477	07.03.2002	Goueli et al			
	A2	2003/0100028	29.05.2003	Drees et al			
	A3	5,798,447	25.08.1998	Chen			
	A4	6,001,354	14.12.1999	Pot et al			
	A5	6,348,580	19.02.2002	Fukui et al			
IGC/	A6	6,709,833	23.03.2004	Fukui et al			

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
IGC/	A7	2001-69977	21.03.2001	JP			
IGC/	A8	2000-83664	28.03.2000	JP			
IGC/	A9	1-168299 A	03.07.1989	JP			

OTHER PRIOR ART (Including Author, Title, Pertinent Pages, Etc.)

IGC/	A10	Martin, T., Phosphoinositide Lipids as Signaling Molecules: Common Themes for Signal Transduction, Cytoskeletal Regulation, and Membrane Trafficking, <i>Annu Rev Cell Dev Biol</i> , Vol 14, 231-64 (1998)					
	A11	Leslie, N. et al, Phosphoinositide-Regulated Kinases and Phosphoinositide Phosphatases, <i>Chem Rev</i> , Vol 101, 2365-2380 (2001)					
	A12	Vanhaesebroeck, B. et al, Phosphoinositide 3-kinases: a conserved family of signal transducers, <i>Trends Biochem Sci</i> , Vol 22, 267-72 (1997)					
	A13	MacDougall, L. et al, A family of phosphoinositide 3-kinases in <i>Drosophila</i> identifies a new mediator of signal transduction, <i>Current Biology</i> , Vol 5, No. 12, 1404-15 (1995)					
	A14	Carpenter, C. et al, Phosphoinositide 3-kinase and the regulation of cell growth, <i>Biochimica Biophysica Acta</i> 1288 (1996) M11-M16					
	A15	Carpenter, C. et al, Phosphoinositide Kinases, <i>Curr Opin Cell Biol</i> , Vol 8, 153-8 (1996)					
	A16	Datta, K. et al, Akt Is a Direct Target of the Phosphatidylinositol 3-Kinase. Activation by Growth Factors, v-src and v-Ha-ras, In Sf9 and Mammalian Cells, <i>J Biol Chem</i> , Vol 271, 30835-9 (1996)					
	A17	Franke, T. et al, PI3K: Downstream AKTion Blocks Apoptosis, <i>Cell</i> , Vol 88, 435-7 (1997)					
	A18	Franke, T. et al, The Protein Kinase Encoded by the Akt Proto-Oncogene is a Target of the PDGF-Activated Phosphatidylinositol 3-Kinase, <i>Cell</i> , Vol 81, 727-36 (1995)					
	A19	Czech, M. et al, Signaling Mechanisms that Regulate Glucose Transport, <i>J Biol Chem</i> Vol 274, No. 4, 1865-8 (1999)					
	A20	Okada, T. et al, Essential Role of Phosphatidylinositol 3-Kinase in Insulin-induced Glucose Transport and Antilipolysis in Rat Adipocytes, <i>J Biol Chem</i> Vol 269, No. 5, 3568-73 (1994)					
IGC/	A21	Cheatham, B. et al, Phosphatidylinositol 3-Kinase Activation is Required for Insulin Stimulation of pp70 S6 Kinase, DNA Synthesis, and Glucose Transporter Translocation, <i>Mol Cell Biol</i> , Vol 14, 4902-11 (1994)					

PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
22156.NPSERIAL NO.
10/712,073

LIST OF PRIOR ART CITED BY APPLICANT

APPLICANT Beth E. Drees, et al

FILING DATE
11/13/2003GROUP
1641

/GC/	A22	Tanti, J. et al, Potential Role of Protein Kinase B in Glucose Transporter 4 Translocation in Adipocytes, <i>Endocrinology</i> 138, 2005-10 (1997)
	A23	Hara, K. et al, 1-Phosphatidylinositol 3-kinase activity is required for insulin-stimulated glucose transport but not for RAS activation in CHO cells, <i>Proc Natl Acad Sci USA</i> , Vol 91, 7415-9 (1994)
	A24	Cusi, K. et al, Insulin resistance differentially affects the PI 3-kinase--and MAP kinase--mediated signaling in human muscle, <i>J Clin Invest</i> , Vol 105, 311-20 (2000)
	A25	Krook, A. et al, Characterization of Signal Transduction and Glucose Transport in Skeletal Muscle From Type 2 Diabetic Patients, <i>Diabetes</i> , Vol 49, 284-92 (2000)
	A26	Cho, H. et al, Insulin Resistance and a Diabetes Mellitus-like Syndrome in Mice Lacking the Protein Kinase Akt2 (PKB β), <i>Science</i> , Vol 292, 1728-31 (2001)
	A27	Krook, A. et al, Insulin-Stimulated Akt Kinase Activity is Reduced in Skeletal Muscle From NIDDM Subjects, <i>Diabetes</i> , Vol. 47, 1281-6 (1998)
	A28	Vollenweider, P. et al, An SH2 Domain-Containing 5' Inositolphosphatase Inhibits Insulin-Induced GLUT4 Translocation and Growth Factor-Induced Actin Filament Rearrangement, <i>Mol Cell Biol</i> , Vol 19, No. 2, 1081-91 (1999)
	A29	Roymans, D. et al, Phosphatidylinositol 3-kinases in tumor progression, <i>Eur J Biochem</i> , Vol. 268, 487-98 (2001)
	A30	King, W. et al, Phosphatidylinositol 3-Kinase is Required for Integrin-Stimulated AKT and Raf-1/Mitogen-Activated Protein Kinase Pathway Activation, <i>Mol Cell Biol</i> , Vol 17, No. 8, 4406-18 (1997)
	A31	Kim, D. et al, Akt/PKB promotes cancer cell invasion via increased motility and metalloproteinase production, <i>Faseb J</i> , Vol 15, 1953-62 (2001)
	A32	Phillips, W. et al, Increased Levels of Phosphatidylinositol 3-Kinase Activity in Colorectal Tumors, <i>American Cancer Society</i> , Vol 83, 41-7 (1998)
	A33	Klippel, A. et al, Activation of Phosphatidylinositol 3-Kinase is Sufficient for Cell Cycle Entry and Promotes Cellular Changes Characteristic of Oncogenic Transformation, <i>Mol Cell Biol</i> , Vol 18, No. 10, 5699-711 (1998)
	A34	Ma, Yen-Ying et al, PIK3CA as an oncogene in cervical cancer, <i>Oncogene</i> , Vol 19, 2739-44 (2000)
	A35	Shayesteh, L. et al, PIK3CA is implicated as an oncogene in ovarian cancer, <i>Nat Genet</i> , Vol 21, 99-102 (1999)
	A36	Maehama, T. et al, The Tumor Suppressor, PTEN/MMAC1, Dephosphorylates the Lipid Second Messenger, Phosphatidylinositol 3,4,5, Trisphosphate, <i>J Biol Chem</i> , Vol 273, 13375-8 (1998)
	A37	Maehama, T. et al, PTEN: a tumour suppressor that functions as a phospholipid phosphatase, <i>Trends Cell Biol</i> , Vol. 9, 125-8 (1999)
	A38	Tamura, M. et al, PTEN Interactions with Focal Adhesion Kinase and Suppression of the Extracellular Matrix-dependent Phosphatidylinositol 3-Kinase/Akt Cell Survival Pathway, <i>J Biol Chem</i> , Vol 274, 20693-703 (1999)
	A39	Cantley, L. et al, New insights into tumor suppression: PTEN suppresses tumor formation by restraining the phosphoinositide 3-kinase/AKT pathway, <i>Proc Natl Acad Sci USA</i> , Vol 96, 4240-5 (1999)
	A40	Haas-Kogan, D. et al, Protein kinase B (PKB/Akt) activity is elevated in glioblastoma cells due to mutation of the tumor suppressor PTEN/MMAC, <i>Curr Biol</i> , Vol 8, 1195-8 (1998)
	A41	Wen, S. et al, PTEN controls tumor-induced angiogenesis, <i>Proc Natl Acad Sci USA</i> , Vol 98, 4622-7 (2001)
↓	A42	Li, J. et al, PTEN, a Putative Protein Tyrosine Phosphatase Gene Mutated in Human Brain, Breast, and Prostate Cancer, <i>Science</i> , Vol 275, 1943-7 (1997)
/GC/	A43	Teng, D. et al, MMAC1/PTEN Mutations in Primary Tumor Specimens and Tumor Cell Lines, <i>Cancer Res</i> , Vol 57, 5221-5 (1997)

PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
22156.NPSERIAL NO.
10/712,073

LIST OF PRIOR ART CITED BY APPLICANT

APPLICANT Beth E. Drees, et al

FILING DATE
11/13/2003GROUP
1641

IGCI	A44	Dahia, P. et al, PTEN is inversely correlated with the cell survival factor Akt/PKB and is inactivated via multiple mechanisms in haematological malignancies, <i>Hum Mol Genet</i> , Vol 8, 185-93 (1999)
	A45	Birck, A. et al, Mutation and Allelic Loss of the PTEN/MMAC1 Gene in Primary and Metastatic Melanoma Biopsies, <i>J Invest Dermatol</i> , Vol 114, 277-80 (2000)
	A46	Liaw, D. et al, Germline mutations of the PTEN gene in Cowden disease, an inherited breast and thyroid cancer syndrome, <i>Nature Genetics</i> , Vol 16, 64-7 (1997)
	A47	Marsh, D. et al, Allelic Imbalance, Including Deletion of PTEN/MMAC1, at the Cowden Disease Locus on 10q22-23, in Hamartomas From Patients with Cowden Syndrome and Germline PTEN Mutation, <i>Genes Chromosomes Cancer</i> , Vol 21, 61-9 (1998)
	A48	Marsh, D. et al, Mutation spectrum and genotype-phenotype analyses in Cowden disease and Bannayan-Zonana syndrome, two hamartoma syndromes with germline PTEN mutation, <i>Hum Mol Genet</i> , Vol 7, 507-15 (1998)
	A49	Marsh, D. et al, Germline mutations in PTEN are present in Bannayan-Zonana syndrome, <i>Nat Genet</i> , Vol 16, 333-4 (1997)
	A50	Nakashima, N. et al, The Tumor Suppressor PTEN Negatively Regulates Insulin Signaling in 3T3-L1 Adipocytes, <i>J Biol Chem</i> , Vol 275, 12889-95 (2000)
	A51	Iida, S. et al, Accelerated Decline of Blood Glucose After Intravenous Glucose Injection in a Patient with Cowden Disease Having a Heterozygous Germline Mutation of the PTEN/MMAC1 Gene, <i>Anticancer Research</i> , Vol 20, 1901-4 (2000)
	A52	Butler, M. et al, Specific Inhibition of PTEN Expression Reverses Hyperglycemia in Diabetic Mice, <i>Diabetes</i> , Vol 51, 1028-34 (2002)
	A53	Lioubin, M. et al, p150 ^{SHIP} , a signal transduction molecule with inositol polyphosphate-5-phosphatase activity, <i>Genes & Dev</i> , Vol 10, 1084-95 (1996)
	A54	Damen, J. et al, The 145-kDa protein induced to associate with Shc by multiple cytokines is an inositol tetraphosphate and phosphatidylinositol 3,4,5-trisphosphate 5-phosphatase, <i>Proc Natl Acad Sci USA</i> , Vol. 93, 1689-93 (1996)
	A55	Liu, Q. et al, The SH2-Containing Inositol Polyphosphate 5-Phosphatase, Ship, is Expressed During Hematopoiesis and Spermatogenesis, <i>Blood</i> , Vol 91, 2753-9 (1998)
	A56	Liu, Q. et al, SHIP is a negative regulator of growth factor receptor-mediated PKB/Akt activation and myeloid cell survival, <i>Genes & Dev</i> , Vol 13, 786-91 (1999)
	A57	Aman, M. et al, The Inositol Phosphatase SHIP Inhibits Akt/PKB Activation in B Cells, <i>J Biol Chem</i> , Vol 273, 33922-8 (1998)
	A58	Helgason, C. et al, Targeted disruption of SHIP leads to hemopoietic perturbations, lung pathology, and a shortened life span, <i>Genes & Dev</i> , Vol 12, 1610-20 (1998)
	A59	Brauweiler, A. et al, Differential Regulation of B Cell Development, Activation, and Death by the Src Homology 2 Domain-containing 5' Inositol Phosphatase (SHIP), <i>J Exp Med</i> , Vol 191, 1545-54 (2000)
	A60	Liu, Q. et al, The Inositol Polyphosphate 5-Phosphatase Ship Is a Crucial Negative Regulator of B Cell Antigen Receptor Signaling, <i>J Exp Med</i> , Vol 188, 1333-42 (1998)
	A61	Rohrschneider, L. et al, Structure, function, and biology of SHIP proteins, <i>Genes & Dev</i> , Vol 14, 505-20 (2000)
	A62	Brauweiler, A. et al, Bilevel control of B-cell activation by the inositol 5-phosphatase SHIP, <i>Immunological Reviews</i> , Vol 176, 69-74 (2000)
↓	A63	Bolland, S. et al, SHIP Modulates Immune Receptor Responses by Regulating Membrane Association of Btk, <i>Immunity</i> , Vol 8, 509-16 (1998)
IGCI	A64	Huber, M. et al, The src homology 2-containing inositol phosphatase (SHIP) is the gatekeeper of mast cell degranulation, <i>Proc Natl Acad Sci USA</i> , Vol 95, 11330-5 (1998)

PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 22156.NP	SERIAL NO. 10/712,073
		APPLICANT Beth E. Drees, et al	
		FILING DATE 11/13/2003	GROUP 1641

LIST OF PRIOR ART CITED BY APPLICANT

IGCI	A65	Huber, M. et al, Targeted disruption of SHIP leads to Steel factor-induced degranulation of mast cells, <i>Embo J</i> , Vol 17, 7311-9 (1998)
	A66	Pesesse, X. et al, Identification of a Second SH2-Domain-Containing Protein Closely Related to the Phosphatidylinositol Polyphosphate 5-Phosphatase SHIP, <i>Biochem Biophys Res Commun</i> , Vol 239, 697-700 (1997)
	A67	Ishihara, H. et al, Molecular Cloning of Rat SH2-Containing Inositol Phosphatase 2 (SHIP2) and Its Role in the Regulation of Insulin Signaling, <i>Biochem Biophys Res Commun</i> , Vol 260, 265-72 (1999)
	A68	Muraille, E. et al, Distribution of the Src-homology-2-domain-containing inositol 5-phosphatase SHIP-2 in both non-haemopoietic and haemopoietic cells and possible involvement of SHIP-2 in negative signalling of B-cells, <i>Biochem J</i> , Vol 342 Pt 3, 697-705 (1999)
	A69	Habib, T. et al, Growth Factors and Insulin Stimulate Tyrosine Phosphorylation of the 51C/SHIP2 Protein, <i>J Biol Chem</i> , Vol 273, 18605-9 (1998)
	A70	Clement, S. et al, The lipid phosphatase SHIP2 controls insulin sensitivity, <i>Nature</i> , Vol 409, 92-7 (2001)
	A71	Wada, T. et al, Overexpression of SH2-Containing Inositol Phosphatase 2 Results in Negative Regulation of Insulin-Induced Metabolic Actions in 3T3-L1 Adipocytes via Its 5'-Phosphatase Catalytic Activity, <i>Mol Cell Biol</i> , Vol 21, 1633-46 (2001)
	A72	Taylor, G. et al, Myotubularin, a protein tyrosine phosphatase mutated in myotubular myopathy, dephosphorylates the lipid second messenger, phosphatidylinositol 3-phosphate, <i>Proc Natl Acad Sci USA</i> , Vol 97, 8910-5 (2000)
	A73	Walker, D. et al, Characterization of MTMR3: an inositol lipid 3-phosphatase with novel substrate specificity, <i>Current Biology</i> Vol 11, 1600-5 (2001)
	A74	Maehama, T. et al, A Sensitive Assay for Phosphoinositide Phosphatases, <i>Anal Biochem</i> , Vol 279, 248-50 (2000)
	A75	Taylor, G. et al, Myotubularin, a protein tyrosine phosphatase mutated in myotubular myopathy, dephosphorylates the lipid second messenger, phosphatidylinositol 3-phosphate, <i>PNAS</i> , Vol 97, 8910-8915 (2000)
	A76	Prestwich, G. et al, In situ detection of phospholipid and phosphoinositide metabolism, <i>Advan Enzyme Regul</i> , Vol 42, 19-38 (2002)
	A77	Thomas, C. et al, Generation of phosphatidylinositol-specific antibodies and their characterization, <i>Biochemical Society Trans</i> , Vol 27, 648-52 (1999)
	A78	Yokogawa, T. et al, Evidence that 3'-phosphorylated polyphosphoinositides are generated at the nuclear surface: use of immunostaining technique with monoclonal antibodies specific for PI 3,4-P ₂ , <i>FEBS Lett</i> , Vol 473, 222-6 (2000)
	A79	Kavran, J. et al, Specificity and Promiscuity in Phosphoinositide Binding by Pleckstrin Homology Domains, <i>J Biol Chem</i> , Vol 273, 30497-508 (1998)
	A80	Ferguson, K. et al, Structure of the High Affinity Complex of Inositol Trisphosphate with a Phospholipase C Pleckstrin Homology Domain, <i>Cell</i> , Vol 83, 1037-46 (1995)
	A81	Rebecchi, M. et al, Pleckstrin Homology Domains: A Common Fold with Diverse Functions, <i>Annu Rev Biophys Biomol Struct</i> , Vol 27, 503-28 (1998)
	A82	Ferguson, K. et al, Structure of the High Affinity Complex of Inositol Trisphosphate with a Phospholipase C Pleckstrin Homology Domain, <i>Cell</i> , Vol 83, 1037-46 (1995)
	A83	Stenmark, H. et al, FYVE-finger proteins - effectors of an inositol lipid, <i>J Cell Science</i> , Vol 112, 4175-83 (1999)
✓	A84	Ago, T. et al, The PX Domain as a Novel Phosphoinositide-Binding Module, <i>Biochem Biophys Res Commun</i> , Vol 287, 733-8 (2001)
IGCI	A85	Dowler, S. et al, Identification of pleckstrin-homology-domain-containing proteins with novel phosphoinositide-binding specificities, <i>Biochem J</i> , Vol 351, 19-31 (2000)

PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 22156.NP	SERIAL NO. 10/712,073
		APPLICANT Beth E. Drees, et al	
		FILING DATE 11/13/2003	GROUP 1641

LIST OF PRIOR ART CITED BY APPLICANT

IGC/	A86	Thomas, C. et al, Crystal structure of the phosphatidylinositol 3,4-bisphosphate-binding pleckstrin homology (PH) domain of tandem PH-domain-containing protein 1 (TAPP1): molecular basis of lipid specificity, <i>Biochem J</i> , Vol 358, 287-94 (2001)
	A87	Beaudet, L. et al, Homogeneous Assays for Single-Nucleotide Polymorphism Typing Using AlphaScreen, <i>Genome Res</i> , Vol 11, 600-8 (2001)
	A88	Latif, S. et al, Fluorescence Polarization in Homogeneous Nucleic Acid Analysis II: 5'-Nuclease Assay, <i>Genome Res</i> , Vol 11, 436-40 (2001)
	A89	Nielsen, K. et al, Fluorescence Polarization Immunoassay: Detection of Antibody to Brucella abortus, <i>Methods</i> , Vol 22, 71-6 (2000)
	A90	Grys, E. et al, Measurement of proteases in human subgingival dental plaque by fluorescence polarization, <i>Archives Oral Biol</i> , Vol 45, 1101-6 (2000)
	A91	Economic Consequences of Diabetes Mellitus in the U.S. in 1997, American Diabetes Association. <i>Diabetes Care</i> , Vol 21, 296-309 (1998)
	A92	Maehama, T. et al, PTEN and Myotubularin: Novel Phosphoinositide Phosphatases, <i>Ann Rev Biochem</i> , Vol 70, 247-79 (2001)
	A93	Bolino et al, Charcot-Marie-Tooth type 4B is caused by mutations in the gene encoding myotubularin-related protein-2, <i>Nature Genetics</i> , Vol 25, 17-9 (2000)
	A94	Pope, A. et al, Homogeneous fluorescence readouts for miniaturized high-throughput screening: theory and practice, <i>Drug Discovery Today</i> , Vol 4, 350-362 (1999)
	A95	Seifert, R. et al, PTPRQ is a novel phosphatidylinositol phosphatase that can be expressed as a cytoplasmic protein or as a subcellularly localized receptor-like protein, <i>Exp Cell Res</i> , Vol 287, 374-386 (2003)
	A96	Ono, H. et al, Regulation of Phosphoinositide Metabolism, Akt Phosphorylation, and Glucose Transport by PTEN (Phosphatase and Tensin Homolog Deleted on Chromosome 10) in 3T3-L1 Adipocytes, <i>Molecular Endocrinology</i> , Vol 15, 1411-1422 (2001)
	A97	Mosser, V. et al, PTEN Does Not Modulate GLUT4 Translocation in Rat Adipose Cells under Physiological Conditions, <i>Biochem Biophys Res Commun</i> , Vol 288, 1011-1017 (2001)
	A98	Laporte, J. et al, A gene mutated in X-linked myotubular myopathy defines a new putative tyrosine phosphatase family conserved in yeast, <i>Nature Genetics</i> , Vol. 13, 175-82, (1996)
	A99	Laporte, J. et al, Characterization of the myotubularin dual specificity phosphatase gene family from yeast to human, <i>Human Molecular Genetics</i> , Vol 7, 1703-12 (1998)
	A100	Gray, A. et al, Nonradioactive methods for the assay of phosphoinositide 3-kinases and phosphoinositide phosphatases and selective detection of signaling lipids in cell and tissue extracts, <i>Analytical Biochem</i> , Vol 313, 234-245 (2003)
	A101	Ijuin, T. et al, Identification and Characterization of a Novel Inositol Polyphosphate 5-Phosphatase, <i>J Biol Chem</i> , Vol 275, 10870-10875 (2000)
	A102	Klarlund, J. et al, Signaling by Phosphoinositide-3, 4,5-Trisphosphate Through Proteins Containing Pleckstrin and Sec7 Homology Domains, <i>Science</i> , Vol 275, 1927-30 (1997)
	A103	Marion, E. et al, The Gene INPPL1, Encoding the Lipid Phosphatase SHIP2, Is a Candidate for Type 2 Diabetes In Rat and Man, <i>Diabetes</i> , Vol 51, 2012-17 (2002)
	A104	Buj-Bello, A. et al, The lipid phosphatase myotubularin is essential for skeletal muscle maintenance but not for myogenesis in mice, <i>Proc Natl Acad Sci USA</i> , Vol 99, 15060-5 (2002)
↓	A105	Gaudet, E. et al, A Homogeneous Fluorescence Polarization Assay Adaptable for a Range of Protein Serine/Threonine and Tyrosine Kinases, <i>J Biomol Screening</i> , Vol 8, 164-175 (2003)
IGC/	A106	Ijuin, T. et al, SKIP Negatively Regulates Insulin-Induced GLUT4 Translocation and Membrane Ruffle Formation, <i>Mol Cell Biol</i> , Vol 23, 1209-1220 (2003)

PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
22156.NPSERIAL NO.
10/712,073

LIST OF PRIOR ART CITED BY APPLICANT

APPLICANT Beth E. Drees, et al

FILING DATE
11/13/2003GROUP
1641

/GC/	A107	Kowski, T. et al, Fluorescence Polarization is a Useful Tecnology for Reagent Reduction in Assay Miniaturization, <i>Comb Chem High Throughput Screen</i> , Vol 3, 437-44 (2000)
/GC/	A108	Blondeau, F. et al, Myotubularin, a phosphatase deficient in myotubular myopathy, acts on phosphatidylinositol 3-kinase and phosphatidylinositol 3-phosphate pathway, <i>Hum Mol Genet</i> , Vol 9, 2223-9 (2000)
/GC/	A109	Luo, J-M et al, Possible dominant-negative mutation of the SHIP gene in acute myeloid leukemia, <i>Leukemia</i> , Vol 17, 1-8 (2003)
/GC/	A110	Oganesian, A. et al, Protein tyrosine phosphatase RQ is a phosphatidylinositol phosphatase that can regulate cell survival and proliferation, <i>Proc Natl Acad Sci USA</i> , Vol 100, 7563-7568 (2003)
EXAMINER /Gary Counts/		DATE CONSIDERED 06/08/2007
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.		